


Drill Hole No.	Dip	From (m)	To (m)	Length (m)	Cu %	Mo %	Au g/t	Ag g/t*	CuEQ %
N039	-55	230.2	288.2	58.0	0.14	0.002	0.010	1.09	0.15
"	-55	313.3	334.7	21.4	0.46	0.005	0.016	3.70	0.49
"	-55	355.0	620.0	265.0	0.31	0.010	0.020	2.18	0.36
N040	-85	431.0	472.0	41.0	0.21	0.007	0.012	1.70	0.24
"	-85	479.0	631.1	152.1	0.29	0.009	0.013	2.61	0.33
N041	-90	224.0	244.6	20.6	0.30	0.002	0.063	1.45	0.35
"	-90	249.0	345.0	96.0	0.47	0.006	0.038	2.48	0.52
N042	-55	254.0	389.0	135.0	0.53	0.005	0.075	2.99	0.60
N043	-55	330.9	356.0	25.1	0.21	0.002	0.023	1.86	0.23

Figure 1




SANTO TOMAS PROJECT

Oroco Resource Corp.

North Zone
2021-2022 Drilling Program

Assay Results

- Received - New
- Received
- Pending



Historical Drill Holes: STD & STE Series
2021-2022 Drill Holes: N Series.
*Historical Drilling was mostly analyzed
only for Copper.*

LiDAR DEM Surface Profile



17.8m @ 0.11 %Cu, 0.12 %CuEq

25.1m @ 0.21 %Cu, 0.23 %CuEq

12.0m @ 0.15 %Cu, 0.16 %CuEq

N043

Section Alignment Line



PROJECTION : WGS84 Zone 12N

SANTO TOMAS PROJECT

Oroco Resource Corp.

Plate 38: North Zone Cross-Section
Looking Towards N 020° East
Hole N043 Cu and CuEq

Historical Drill Holes: STD & STE Series
2021-2022 Drill Holes: N Series.
*Historical Drilling was mostly analyzed
only for Copper.*

LiDAR DEM Surface Profile

20.6m @ 0.30 %Cu, 0.35 %CuEq

34.9m @ 0.27 %Cu

13.0m @ 0.13 %Cu, 0.16 %CuEq

88.7m @ 0.34 %Cu, 0.37 %CuEq

96.0m @ 0.47 %Cu, 0.52 %CuEq

2009 Gradeshell Model
Cu > 0.30%


98.8m @ 0.50 %Cu

STD-40

N041

N032

Section Alignment Line



800 RL

600 RL

400 RL

200 RL

0 RL

800 RL

600 RL

400 RL

200 RL

0 RL

-200 RL



PROJECTION : WGS84 Zone 12N

SANTO TOMAS PROJECT

Oroco Resource Corp.

Plate 40: North Zone Cross-Section

Looking Towards N 020° East

Hole N032, N041 Cu and CuEq

Historical Drill Holes: STD & STE Series
2021-2022 Drill Holes: N Series.
*Historical Drilling was mostly analyzed
only for Copper.*

LiDAR DEM Surface Profile

141.7m @ 0.42 %Cu



135.0m @ 0.53 %Cu, 0.60 %CuEq

STD-28

N042

2009 Gradeshell Model
Cu > 0.30%

Section Alignment Line



SANTO TOMAS PROJECT

Oroco Resource Corp.

Plate 44: North Zone Cross-Section
Looking Towards N 020° East
Hole N042 Cu and CuEq

PROJECTION : WGS84 Zone 12N





Plate 65

N016 Cu & CuEq Intervals	
16A	95.4m @ 0.32 %Cu, 0.37 %CuEq
16B	44.7m @ 0.39 %Cu, 0.46 %CuEq
16C	88.7m @ 0.26 %Cu, 0.31 %CuEq
16D	16.0m @ 0.17 %Cu, 0.21 %CuEq
16E	19.0m @ 0.17 %Cu, 0.19 %CuEq
16F	24.0m @ 0.32 %Cu, 0.36 %CuEq
16G	15.8m @ 0.13 %Cu, 0.19 %CuEq
16H	11.0m @ 0.31 %Cu, 0.36 %CuEq
16I	17.9m @ 0.17 %Cu, 0.20 %CuEq
16J	16.0m @ 0.15 %Cu, 0.16 %CuEq

Historical Drill Holes: STD & STE Series
2021-2022 Drill Holes: N Series.
Historical Drilling was mostly analyzed only for Copper.


LiDAR DEM Surface Profile



SANTO TOMAS PROJECT

Oroco Resource Corp.

Plate 65: North Zone Cross-Section
Looking Towards N 020° East
Hole N011,N016,N026,N040 Cu & CuEq



Section Alignment Line